

Hackney



Classic



Dairy Classic

Hackney

Choose the standard Hackney Classic or the Hackney Dairy Classic

The New, Higher Standard
for Truck Bodies Specifically
Designed for Multi-Temp,
Multi-Stop Distribution

Hackney Classic bodies reflect the ideal blend of features and benefits most needed to protect ice, dairy products, ice cream and other refrigerated and frozen products. Even on routes requiring frequent door openings, Hackney Classic bodies are able to recover quickly and maintain appropriate temperatures for excellent product protection.

Included in this new family of products are the specialized Hackney Dairy Classic reefers, designed by some of the world's leading dairies to meet their needs to distribute fluid milk that stays fresh.

*Count on the new Hackney legends ...
all day ... every day ... for the new high
standard in quality.*



Hackney **Dairy Classic** *The Optimum Dairy Reefer*

Created for the reliable, secure delivery of multi-temperature dairy products, the Hackney Dairy Classic offers advantages most requested by leading dairies. Choose lengths from 16 to 24 feet. Specify either 4-inch or 5-inch insulation packages. Hackney Dairy Classic bodies also have popular features like steel treadplate floors and a variety of doors.



Features and Options for Driver Convenience

Choose from the industry's widest range of bumpers, steps, liftgates, grab handles and other options designed to increase operator efficiency.

Hackney Classic

The Optimum Specialty Reefer

The Hackney Classic delivers the quality, strength and overall value needed for the multi-stop distribution of both refrigerated and frozen products, from ice cream and ice to meats, fruits and produce. Specify 4-inch or 5-inch insulation packages to surround your cargo. Choose reefer lengths from 9 to 26 feet, equipped with functional floor systems.



Aerodynamic Design Cuts Wind Resistance

Engineered radius curves on corners and rooflines create an aerodynamic effect that reduces wind resistance and increases fuel efficiency. Rugged rails also provide protection from tree limbs and loading dock obstructions.



Built to Resist Damage from Multi-Stop Routes

The Hackney Classic is designed to resist damage during loading and unloading, or from cargo shifting en route. Wear strips and floors are integrated to make them watertight. Fiberglass interior walls, installed without rivets, resist dirt and grease, and they're easy to clean.



Secure Doorjamb that Handle Abuse

Specially designed doorjamb seal in the cold and resist damage from frequent loading and unloading of heavy, frozen or fluid milk products.



Select the Wall Insulation You Want

Get the insulation you need for your specific products, weather and delivery conditions. Surround your cargo with 4 or 5 inches of non-CFC insulation, foamed in place using our proprietary process.

REAR DOORS

- Sliding
- Swing sliding
- 1 panel part opening
- 2 panel part opening
- 2 panel full opening
- 3 panel full opening
- Rollup

SIDE DOORS

- Sliding
 - 1 panel, 30" - 42"
 - Reach-in
- (Optional cam and slam type door locks are available on all swing doors.)

BUMPERS

- Rear impact
- Rear impact with center step
- Full width rear impact
- Rear impact with center step and oak filled dock extension
- Full width rear impact with center step and oak filled dock extension
- 12", 18" or 24" dock extension and curb side stairway with rear impact bumper
- 12" step bumper with 36" faceplate
- Rear impact with 2 folding steps
- Rear impact with 3 folding steps
- Dock extension with two-step center stairway and coverplate
- Dock extension with two-step center stairway
- 12" full width step bumper with recessed tail lights

OTHER FEATURES

- Side or rear door liftgates
- Interior lights, either incandescent, fluorescent or LED
- Exterior market lights with wire harness; LED available
- Stainless steel hardware optional on all doors
- Level entry threshold




Select the Refrigeration System You Want and Need


Protect refrigerated and frozen products with the Hackney Vari-Temp 2000 system – a legendary system that's been re-engineered for even greater performance. Or, you can equip your Hackney Classic or Dairy Classic body with straight holdover plates, Ultra Temp, Ultra Temp Plus or mechanical refrigeration systems. Designed for optimum operating economy and cargo protection, the Hackney Classic is designed to maintain temperatures as low as minus 20° on multi-stop routes.

FLOORS ARE WATERTIGHT


Fully welded steel or aluminum treadplate floors provide side wall protection. Integral formed wearstrips with varying heights are secured to the liner, forming watertight joints. Two floor drains are standard.




Dairy Floors. The floor system is fully welded, watertight and designed for milk cases and ice cream carts. Two floor drains are standard.



Cargo Floors. Built to withstand abuse with fully welded construction that is ideal for palletized cargo. Two floor drains are standard.



Box Floors. The extruded, welded aluminum floor system elevates the cargo for better air circulation and greater capacity to keep products dry. Four floor drains are standard.



Extruded Aluminum Wearstrips. Available for the front and side walls in heights of 6", 12", 18" and 24". This specially designed wearstrip, which is integral with the floor, secures the interior liner and ensures a watertight seal.

Hackney

Continuing the Hackney tradition of the highest quality design and construction

The Hackney Classic and Hackney Dairy Classic represent a continuation of the great Hackney tradition for quality in refrigerated distribution. Truly classic truck bodies capable of holding specified temperatures, even on multi-stop routes with frequent door openings. Plus, you get an excellent weight-to-strength ratio to optimize your payload and deliver more years of reliable service.

Hackney
INNOVATIONS

Pressure-Pillow Seal (PPS™)
doors virtually eliminate air
passage, holding the cold inside
and keeping ambient air out.

**Radius stainless steel front
corner posts are optional.**
Aluminum roof radius and
corner caps are engineered
to reduce wind resistance.

Smooth aluminum outer skin
- a Hackney trademark -
provides a clean surface
for attractive signage.

**Heavy-duty stainless steel
rear frame resists rear
damage and corrosion.**

**Specify either 4 or 5
inches of foamed-in-place
non-CFC insulation to
surround your cargo.**

**An aluminum ladder to access
a mechanical refrigeration unit
is just one of the convenience
and safety options available.**



**Refrigerated
Truck Bodies
For Class
5, 6 & 7 Chassis**



Hackney

The Hackney Classic and the Hackney Dairy Classic offer the innovative features and overall value that created the Hackney reputation for industry excellence. Hackney Classic reefers get colder and stay colder while withstanding the rigors of multi-stop, multi-temp routes. You get the benefits of efficient refrigerated distribution even after years and years of challenging use.

Call toll-free 800-321-5421

KIDRON, OH • LAKELAND, FL
P.O. Box 17, Kidron, OH 44636
Phone 330-857-3011
Fax 330-857-8451

For Hackney Classic or Hackney Dairy Classic Parts, call toll-free **800-334-2296**.
Or, order parts on-line at www.kidron.com. Most parts shipped in 24 hours or same day.



T H E I N N O V A T O R S